

- Dauphin, G., E. Prevost, C. E. Adams, and P. Boylan. 2009. A Bayesian approach to estimating Atlantic salmon fry densities using a rapid sampling technique. *Fisheries Management and Ecology* 16(5):399-408.
- Dauidsen, J. G., A. H. Rikardsen, E. Halttunen, E. B. Thorstad, F. Okland, B. H. Letcher, J. Skardhamar, and T. F. Naesje. 2009a. Migratory behaviour and survival rates of wild northern Atlantic salmon *Salmo salar* post-smolts: effects of environmental factors. *J Fish Biol* 75(7):1700-1718.
- Dauidsen, J. G., A. H. Rikardsen, E. Halttunen, E. B. Thorstad, F. ØKland, B. H. Letcher, J. Skarðhamar, and T. F. Næsje. 2009b. Migratory behaviour and survival rates of wild northern Atlantic salmon *Salmo salar* post-smolts: effects of environmental factors. *Journal of Fish Biology* 75(7):1700-1718.
- Erkinaro, J., E. Niemelä, J.-P. Vähä, C. R. Primmer, S. Brørs, and E. Hassinen. 2009. Distribution and biological characteristics of escaped farmed salmon in a major subarctic wild salmon river: implications for monitoring. *Canadian Journal of Fisheries and Aquatic Sciences* 67(1):130-142.
- Fahrner, G., B. Villeneuve, V. Gauraud, H. Capra, and Y. Souchon. 2009. Spatial scale and degree of synchrony in brown trout (*Salmo trutta*) population dynamics. In *The 7th International Symposium on Ecohydraulics*.
- Griffiths, A.M., Bright, D., & Stevens, J. 2009. Comparison of patterns of genetic variability in wild and supportively bred stocks of brown trout, *Salmo trutta*. *Fisheries Management and Ecology*, 16, 514–519
- Griffiths, A.M., Koizumi, I., Bright, D. & Stevens, J.R. 2009. A case of isolation by distance and short-term stability of population structure in brown trout (*Salmo trutta*) within the River Dart, southwest England. *Evolutionary Applications*, 2, 537–554
- Griffiths, A.M., Bright, D., & Stevens, J. 2009. Complete mitochondrial control region sequences indicate a distinct variety of brown trout *Salmo trutta* in the Aral Sea. *Journal of Fish Biology*, 74, 1136–1142
- Håkansson, C. 2009. Costs and benefits of improving wild salmon passage in a regulated river. *Journal of Environmental Planning and Management* 52(3):345-363.
- Johnston, P. & Bergeron, N. E. 2009. Comparison between stationary antenna grid and portable antenna PIT systems for studying fish habitat use. *Geomatica*, 63, 4, 313-320.
- Johnston, P., F. Berube, and N. E. Bergeron. 2009. Development of a flatbed passive integrated transponder antenna grid for continuous monitoring of fishes in natural streams. *J Fish Biol* 74(7):1651-1661.
- Johnston P., Bérubé F. and Bergeron N. E. 2009. Development of a flat-bed passive integrated transponder antenna grid for continuous monitoring of fish in natural streams. *Journal of Fish Biology*, 74, 1651-1661.
- Karppinen, P., and J. Erkinaro. 2009. Using motion-sensitive radio tags to record the activity and behavioural patterns of spawning Atlantic salmon. *Ecology of Freshwater Fish* 18(2):177-182.
- Kaspersson, R., and J. Höjesjö. 2009. Density-dependent growth rate in an age-structured population: a field study on stream-dwelling brown trout *Salmo trutta*. *Journal of Fish Biology* 74(10):2196-2215.

- Korsu, K., A. Huusko, and T. Muotka. 2009. Does the introduced brook trout (*Salvelinus fontinalis*) affect growth of the native brown trout (*Salmo trutta*)? *Naturwissenschaften* 96(3):347-353.
- Kuparinen, A., C. Garcia de Leaniz, S. Consuegra, and J. Merilä. 2009. Growth-history perspective on the decreasing age and size at maturation of exploited Atlantic salmon. *Mar Ecol-Prog Ser* 376:245-252.
- Linnansaari, T., K. Alfredsen, M. Stickler, J. V. Arnekleiv, A. Harby, and R. A. Cunjak. 2009. Does ice matter? Site fidelity and movements by Atlantic salmon (*Salmo salar* L.) parr during winter in a substrate enhanced river reach. *River Research and Applications* 25(6):773-787.
- Madsen, S. S., P. Kiillerich, and C. K. Tipsmark. 2009. Multiplicity of expression of Na⁺,K⁺-ATPase {alpha}-subunit isoforms in the gill of Atlantic salmon (*Salmo salar*): cellular localisation and absolute quantification in response to salinity change. *J Exp Biol* 212(Pt 1):78-88.
- Millidine, K., J. Armstrong, and N. Metcalfe. 2009a. Juvenile salmon with high standard metabolic rates have higher energy costs but can process meals faster. *Proceedings of the Royal Society B: Biological Sciences* 276(1664):2103-2108.
- Millidine, K. J., N. B. Metcalfe, and J. D. Armstrong. 2009b. Presence of a conspecific causes divergent changes in resting metabolism, depending on its relative size. *Proc Biol Sci* 276(1675):3989-3993.
- Nikolic, N., J. R. Butler, J.-L. Bagliniere, R. Loughton, I. McMYN, and C. Chevalet. 2009a. An examination of genetic diversity and effective population size in Atlantic salmon populations. *Genetics research* 91(06):395-412.
- Nikolic, N., K. Feve, C. Chevalet, B. Høyheim, and J. Riquet. 2009b. A set of 37 microsatellite DNA markers for genetic diversity and structure analysis of Atlantic salmon *Salmo salar* populations. *Journal of Fish Biology* 74(2):458-466.
- Olsen, M., E. Boegh, S. Pedersen, and M. Pedersen. 2009. Impact of groundwater abstraction on physical habitat of brown trout (*Salmo trutta*) in a small Danish stream. *Hydrology Research* 40(4).
- Palm, D., E. Brännäs, and K. Nilsson. 2009a. Predicting site-specific overwintering of juvenile brown trout (*Salmo trutta*) using a habitat suitability index. *Canadian Journal of Fisheries and Aquatic Sciences* 66(4):540-546.
- Palm, D., M. Lindberg, E. BrÄNnÄS, H. Lundqvist, J. Östergren, and U. Carlsson. 2009b. Influence of European sculpin, *Cottus gobio*, on Atlantic salmon *Salmo salar*, recruitment and the effect of gravel size on egg predation – implications for spawning habitat restoration. *Fisheries Management and Ecology* 16(6):501-507.
- Plantalech Manel-La, N., E. B. Thorstad, J. G. Davidsen, F. ØKland, R. SivertsgÅRd, R. S. McKinley, and B. Finstad. 2009. Vertical movements of Atlantic salmon post-smolts relative to measures of salinity and water temperature during the first phase of the marine migration. *Fisheries Management and Ecology* 16(2):147-154.
- Serrano, I., S. Larsson, and L.-O. Eriksson. 2009a. Migration performance of wild and hatchery sea trout (*Salmo trutta* L.) smolts—Implications for compensatory hatchery programs. *Fisheries Research* 99(3):210-215.
- Serrano, I., P. Rivinoja, L. Karlsson, and S. Larsson. 2009b. Riverine and early marine survival of stocked salmon smolts, *Salmo salar* L., descending the Testebo River, Sweden. *Fisheries Management and Ecology* 16(5):386-394.

Sundt-Hansen, L., L. Neregård, S. Einum, J. Höjesjö, B. T. Björnsson, K. Hindar, F. Økland, and J. I. Johnsson. 2009. Growth enhanced brown trout show increased movement activity in the wild. *Functional Ecology* 23(3):551-558.

Svendsen, J. C., K. Aarestrup, J. Dolby, T. C. Svendsen, and R. H. B. Christensen. 2009a. The volitional travel speed varies with reproductive state in mature female brown trout *Salmo trutta*. *Journal of Fish Biology* 75(4):901-907.

Svendsen, T. C., K. Vorkamp, J. C. Svendsen, K. Aarestrup, and J.-O. Frier. 2009b. Organochlorine Fingerprinting to Determine Foraging Areas of Sea-Ranched Atlantic Salmon: A Case Study from Denmark. *North American Journal of Fisheries Management* 29(3):598-603.

Tonteri, A., A. J. Veselov, A. V. Zubchenko, J. Lumme, and C. R. Primmer. 2009. Microsatellites reveal clear genetic boundaries among Atlantic salmon (*Salmo salar*) populations from the Barents and White seas, northwest Russia. *Canadian Journal of Fisheries and Aquatic Sciences* 66(5):717-735.

Veza, P., C. Comoglio, A. Viglione, and M. Rosso. 2009. The Influence of Soil Characteristics in Low Flows Regionalization. *American Journal of Environmental Sciences* 5(4)