

- Acolas, M. L., J. Labonne, J. L. Bagliniere, and J. M. Roussel. 2012. The role of body size versus growth on the decision to migrate: a case study with *Salmo trutta*. *Naturwissenschaften* 99(1):11-21.
- Finstad, A.G. and B. Jonsson. 2012. Effect of incubation temperature on growth performance in Atlantic salmon. *Marine Ecology Progress Series* 454:75-82.
- Almodóvar, A., G. G. Nicola, D. Ayllón, and B. Elvira. 2012. Global warming threatens the persistence of Mediterranean brown trout. *Global Change Biology* 18(5):1549-1560.
- Andersson, A. G., D.-E. Lindberg, E. M. Lindmark, K. Leonardsson, P. Andreasson, H. Lundqvist, and T. S. Lundström. 2012. A Study of the Location of the Entrance of a Fishway in a Regulated River with CFD and ADCP. *Modelling and Simulation in Engineering* 2012:2.
- Arne, J. J., M. Niall Ó, T. Katie, M. E. Sigurdur, H. Monika, E. Jaakko, F. Peder, D. F. Kevin, K. G. Asta, H. Jari, H. Marianne, H. Jens Christian, J. Jan Arge, G. J. Jan, K. Jorma, M. Webjørn, M. Kjell Arne, W. Vidar, and M. Ø. Gunnel. 2012. Age and fine-scale marine growth of Atlantic salmon post-smolts in the Northeast Atlantic. *ICES Journal of Marine Science: Journal du Conseil* 69(9):1668-1677.
- Ayllón, D., A. Almodóvar, G. G. Nicola, I. Parra, and B. Elvira. 2012a. Modelling carrying capacity dynamics for the conservation and management of territorial salmonids. *Fisheries Research* 134:95-103.
- Ayllón, D., A. Almodóvar, G. G. Nicola, I. Parra, and B. Elvira. 2012b. A new biological indicator to assess the ecological status of Mediterranean trout type streams. *Ecological Indicators* 20:295-303.
- Bothwell, M. L., C. Kilroy, B. W. Taylor, E. T. Ellison, D. A. James, C.-A. Gillis, K. D. Bladon, and U. Silins. 2012. Iron is not responsible for *Didymosphenia geminata* bloom formation in phosphorus-poor rivers. *Canadian Journal of Fisheries and Aquatic Sciences* 69(11):1723-1727.
- Brenna-Hansen, S., J. Li, M. P. Kent, E. G. Boulding, S. Dominik, W. S. Davidson, and S. Lien. 2012. Chromosomal differences between European and North American Atlantic salmon discovered by linkage mapping and supported by fluorescence in situ hybridization analysis. *BMC Genomics* 13(1):432.
- Buoro, M., O. Gimenez, and E. Prévost. 2012. Assessing adaptive phenotypic plasticity by means of conditional strategies from empirical data: the latent environmental threshold model. *Evolution* 66(4):996-1009.
- Carbonneau, P., M. A. Fonstad, W. A. Marcus, and S. J. Dugdale. 2012. Making riverscapes real. *Geomorphology* 137(1):74-86.
- Costa, R., F. Martínez-Capel, R. Muñoz-Mas, J. D. Alcaraz-Hernández, and V. Garófano-Gómez. 2012. Habitat suitability modelling at mesohabitat scale and effects of dam operation on the endangered Júcar nase, *Parachondrostoma arrigonis* (river Cabriel, Spain). *River Research and Applications* 28(6):740-752.
- Cullis, J. D., C. A. Gillis, M. L. Bothwell, C. Kilroy, A. Packman, and M. Hassan. 2012. A conceptual model for the blooming behavior and persistence of the benthic mat-forming diatom *Didymosphenia geminata* in oligotrophic streams. *Journal of Geophysical Research: Biogeosciences*
- Dixon, H. J., M. Power, J. B. Dempson, T. F. Sheehan, and G. Chaput. 2012. Characterizing the trophic position and shift in Atlantic salmon (*Salmo salar*) from freshwater to marine life-cycle phases using stable isotopes. *ICES Journal of Marine Science: Journal du Conseil*.

- Dodson, J. J., Bergeron N., Johnston, P., Hedger, R. D., Carbonneau, P. & Lapointe, L. 2012. *GEOSALAR: The Atlantic Salmon (Salmo salar) and its Riverscape*. In: The added value of scientific networking : perspectives from the GEOIDE Network members 1998-2012. N, Chrisman and M. Wachowicz (eds.), GEOIDE, Québec, 189-212.
- Einum, S., A. Finstad, G. Robertsen, K. Nislow, S. McKelvey, and J. Armstrong. 2012a. Natal movement in juvenile Atlantic salmon: a body size-dependent strategy? *Population Ecology* 54(2):285-294.
- Einum, S., A. G. Finstad, G. Robertsen, K. H. Nislow, S. McKelvey, and J. D. Armstrong. 2012b. Natal movement in juvenile Atlantic salmon: a body size-dependent strategy? *Population Ecology* 54(2):285-294.
- Erős, T., P. Gustafsson, L. A. Greenberg, and E. Bergman. 2012. Forest-Stream Linkages: Effects of Terrestrial Invertebrate Input and Light on Diet and Growth of Brown Trout (*Salmo trutta*) in a Boreal Forest Stream. *PLoS one* 7(5)
- Fjeldstad, H. P., B. T. Barlaup, M. Stickler, S. E. Gabrielsen, and K. Alfredsen. 2012a. REMOVAL OF WEIRS AND THE INFLUENCE ON PHYSICAL HABITAT FOR SALMONIDS IN A NORWEGIAN RIVER. *River Research and Applications* 28(6):753-763.
- Fjeldstad, H. P., I. Uglem, O. H. Diserud, P. Fiske, T. Forseth, E. Kvingedal, N. A. Hvidsten, F. Økland, and J. Järnegren. 2012b. A concept for improving Atlantic salmon *Salmo salar* smolt migration past hydro power intakes. *Journal of Fish Biology* 81(2):642-663.
- Foldvik, A., M. A. K. Teichert, S. Einum, A. G. Finstad, O. Ugedal, and T. Forseth. 2012. Spatial distribution correspondence of a juvenile Atlantic salmon *Salmo salar* cohort from age 0+ to 1+ years. *Journal of Fish Biology* 81(3):1059-1069.
- Frank, B. M., O. Gimenez, P. V. Baret, and C. Kraft. 2012. Assessing brown trout (*Salmo trutta*) spawning movements with multistate capture–recapture models: a case study in a fully controlled Belgian brook. *Canadian Journal of Fisheries and Aquatic Sciences* 69(6):1091-1104.
- Gilvear, D. J., R. Casas-Mulet, and C. J. Spray. 2012. Trends and issues in delivery of integrated catchment scale river restoration: Lessons learned from a national river restoration survey within Scotland. *River Research and Applications* 28(2):234-246.
- Glover, K. A., M. Quintela, V. Wennevik, F. Besnier, A. G. E. Sørvik, and Ø. Skaala. 2012. Three Decades of Farmed Escapees in the Wild: A Spatio-Temporal Analysis of Atlantic Salmon Population Genetic Structure throughout Norway. *PLoS one* 7(8)
- Green, D. M., D. J. Penman, H. Migaud, J. E. Bron, J. B. Taggart, and B. J. McAndrew. 2012. The Impact of Escaped Farmed Atlantic Salmon (*Salmo salar* L.) on Catch Statistics in Scotland. *PLoS one* 7(9)
- Greenberg, L., O. Calles, J. Andersson, and T. Engqvist. 2012. Effect of trash diverters and overhead cover on downstream migrating brown trout smolts. *Ecological Engineering* 48(0):25-29.
- Gustafsson, P., L. A. Greenberg, and E. V. A. Bergman. 2012. The influence of large wood on brown trout (*Salmo trutta*) behaviour and surface foraging. *Freshwater Biology* 57(5):1050-1059.
- Ikedashi, C., S. Billington, and J. R. Stevens. 2012. The origins of Atlantic salmon (*Salmo salar* L.) recolonizing the River Mersey in northwest England. *Ecology and Evolution* 2(10):2537-2548.

- Jensen, A. J., N. Ó Maoiléidigh, K. Thomas, S. M. Einarsson, M. Haugland, J. Erkinaro, P. Fiske, K. D. Friedland, A. K. Gudmundsdottir, J. Haantie, M. Holm, J. C. Holst, J. A. Jacobsen, J. G. Jensås, J. Kuusela, W. Melle, K. A. Mork, V. Wennevik, and G. M. Østborg. 2012a. Age and fine-scale marine growth of Atlantic salmon post-smolts in the Northeast Atlantic. *ICES Journal of Marine Science: Journal du Conseil* 69(9):1668-1677.
- Jensen, H., M. Kiljunen, and P. A. Amundsen. 2012b. Dietary ontogeny and niche shift to piscivory in lacustrine brown trout *Salmo trutta* revealed by stomach content and stable isotope analyses. *Journal of Fish Biology* 80(7):2448-2462.
- Jonsson, B., A. G. Finstad, and N. Jonsson. 2012. Winter temperature and food quality affect age at maturity: an experimental test with Atlantic salmon (*Salmo salar*). *Canadian Journal of Fisheries and Aquatic Sciences* 69(11):1817-1826.
- Julia Olaya-Marin, E., F. Martinez-Capel, R. M. Soares Costa, and J. Diego Alcaraz-Hernandez. 2012. Modelling native fish richness to evaluate the effects of hydromorphological changes and river restoration (Júcar River Basin, Spain). *Science of The Total Environment* 440:95-105.
- Kaspersson, R., J. Höjesjö, and T. Bohlin. 2012. Habitat exclusion and reduced growth: a field experiment on the effects of inter-cohort competition in young-of-the-year brown trout. *Oecologia* 169(3):733-742.
- Koljonen, S., A. Huusko, A. Mäki-Petäys, H. Mykrä, and T. Muotka. 2012. Body mass and growth of overwintering brown trout in relation to stream habitat complexity. *River Research and Applications* 28(1):62-70.
- Luhta, P.-L., A. R. I. Huusko, and P. Louhi. 2012. Re-building brown trout populations in dredged boreal forest streams: in-stream restoration combined with stocking of young trout. *Freshwater Biology* 57(9):1966-1977.
- Marco-Rius, F., P. Caballero, P. Morán, and C. G. de Leaniz. 2012. And the last shall be first: heterochrony and compensatory marine growth in sea trout (*Salmo trutta*). *PloS one* 7(10):e45528.
- Millidine, K. J., I. A. Malcolm, C. N. Gibbins, R. J. Fryer, and A. F. Youngson. 2012. The influence of canalisation on juvenile salmonid habitat. *Ecological Indicators* 23(0):262-273.
- Mork, K. A., J. Gilbey, L. P. Hansen, A. J. Jensen, J. A. Jacobsen, M. Holm, J. C. Holst, N. Ó Maoiléidigh, F. Vikebø, P. McGinnity, W. Melle, K. Thomas, E. Verspoor, and V. Wennevik. 2012. Modelling the migration of post-smolt Atlantic salmon (*Salmo salar*) in the Northeast Atlantic. *ICES Journal of Marine Science: Journal du Conseil*.
- Näslund, J., K. Aarestrup, S. T. Thomassen, and J. I. Johnsson. 2012. Early enrichment effects on brain development in hatchery-reared Atlantic salmon (*Salmo salar*): no evidence for a critical period. *Canadian Journal of Fisheries and Aquatic Sciences* 69(9):1481-1490.
- Olaya-Marín, E. J., F. Martínez-Capel, R. M. Soares Costa, and J. D. Alcaraz-Hernández. 2012. Modelling native fish richness to evaluate the effects of hydromorphological changes and river restoration (Júcar River Basin, Spain). *Science of The Total Environment* 440:95-105.
- Parra, I., A. Almodóvar, D. Ayllón, G. G. Nicola, B. Elvira, and J. Post. 2012. Unravelling the effects of water temperature and density dependence on the spatial variation of brown trout (*Salmo trutta*) body size. *Canadian Journal of Fisheries and Aquatic Sciences* 69(5):821-832.

- Piccolo, J. J., J. R. Norrgård, L. A. Greenberg, M. Schmitz, and E. Bergman. 2012. Conservation of endemic landlocked salmonids in regulated rivers: a case-study from Lake Vänern, Sweden. *Fish and Fisheries* 13(4):418-433.
- Reid, D., J. D. Armstrong, and N. B. Metcalfe. 2012. The performance advantage of a high resting metabolic rate in juvenile salmon is habitat dependent. *Journal of Animal Ecology* 81(4):868-875.
- Robertson, G., H. Skoglund, S. Einum, and D. Fraser. 2012. Offspring size effects vary over fine spatio-temporal scales in Atlantic salmon (*Salmo salar*). *Canadian Journal of Fisheries and Aquatic Sciences* 70(1):5-12.
- Skrupskelis, K., S. Stakėnas, T. Virbickas, and N. Nika. 2012. Age and size of migrating Atlantic salmon, *Salmo salar* L., and sea trout, *Salmo trutta* L., smolts in Lithuanian rivers. *Archives of Polish Fisheries* 20(4):257-266.
- Solberg, M. F., B. O. Kvamme, F. Nilsen, and K. A. Glover. 2012. Effects of environmental stress on mRNA expression levels of seven genes related to oxidative stress and growth in Atlantic salmon *Salmo salar* L. of farmed, hybrid and wild origin. *BMC research notes* 5(1):672.
- Stefansson, S. O., M. Haugland, B. T. Björnsson, S. D. McCormick, M. Holm, L. O. E. Ebbesson, J. C. Holst, and T. O. Nilsen. 2012. Growth, osmoregulation and endocrine changes in wild Atlantic salmon smolts and post-smolts during marine migration. *Aquaculture* 362–363(0):127-136.
- Sundt-Hansen, L., S. Einum, L. Neregård, B. T. Björnsson, J. I. Johnsson, I. A. Fleming, R. H. Devlin, and K. Hindar. 2012. Growth hormone reduces growth in free-living Atlantic salmon fry. *Functional Ecology* 26(4):904-911.
- Trueman, C. N., K. M. MacKenzie, and M. R. Palmer. 2012a. Identifying migrations in marine fishes through stable-isotope analysis. *Journal of Fish Biology* 81(2):826-847.
- Trueman, C. N., K. M. MacKenzie, and M. R. Palmer. 2012b. Stable isotopes reveal linkages between ocean climate, plankton community dynamics, and survival of two populations of Atlantic salmon (*Salmo salar*). *ICES Journal of Marine Science: Journal du Conseil* 69(5):784-794.
- Ulvan, E., A. Finstad, O. Ugedal, and O. Berg. 2012. Direct and indirect climatic drivers of biotic interactions: ice-cover and carbon runoff shaping Arctic char *Salvelinus alpinus* and brown trout *Salmo trutta* competitive asymmetries. *Oecologia* 168(1):277-287.
- Vanhaecke, D., C. G. De Leaniz, G. Gajardo, K. Young, J. Sanzana, G. Orellana, D. Fowler, P. Howes, C. Monzon-Arguello, and S. Consuegra. 2012. DNA barcoding and microsatellites help species delimitation and hybrid identification in endangered galaxiid fishes. *PloS one* 7(3):e32939.
- Verspoor, E., S. Consuegra, O. Fridjonsson, S. Hjørleifsdóttir, D. Knox, K. Olafsson, S. Tompsett, V. Wennevik, and C. Garcia de Leaniz. 2012. Regional mtDNA SNP differentiation in European Atlantic salmon (*Salmo salar*): an assessment of potential utility for determination of natal origin. *ICES Journal of Marine Science: Journal du Conseil*.
- Veza, P., P. Parasiewicz, M. Rosso, and C. Comoglio. 2012. Defining minimum environmental flows at regional scale: application of mesoscale habitat models and catchments classification. *River Research and Applications* 28(6):717-730.
- Vuori, K., M. Kiljunen, M. Kanerva, M. L. Koljonen, and M. Nikinmaa. 2012. Stock-specific variation of trophic position, diet and environmental stress markers in Atlantic salmon *Salmo salar* during feeding migrations in the Baltic Sea. *Journal of Fish Biology* 81(6):1815-1833.

Vuorinen, P. J., M. Keinänen, H. Kiviranta, J. Koistinen, M. Kiljunen, T. Myllylä, J. Pönni, H. Peltonen, M. Verta, and J. Karjalainen. 2012. Biomagnification of organohalogenes in Atlantic salmon (*Salmo salar*) from its main prey species in three areas of the Baltic Sea. *Science of The Total Environment* 421–422(0):129-143.

Watz, J., J. Piccolo, L. Greenberg, and E. Bergman. 2012. Temperature-dependent prey capture efficiency and foraging modes of brown trout *Salmo trutta*. *Journal of Fish Biology* 81(1):345-350.