

- Adriaenssens, B., and J. I. Johnsson. 2013. Natural selection, plasticity and the emergence of a behavioural syndrome in the wild. *Ecology Letters* 16(1):47-55.
- Ayllón, D., G. G. Nicola, B. Elvira, I. Parra, and A. Almodóvar. 2013a. Thermal Carrying Capacity for a Thermally-Sensitive Species at the Warmest Edge of Its Range. *PloS one* 8(11). DOI: 10.1371/journal.pone.0081354
- Ayllón, D., G. G. Nicola, I. Parra, B. Elvira, and A. Almodóvar. 2013b. Intercohort density dependence drives brown trout habitat selection. *Acta Oecologica* 46:1-9.
- Berg, O. K., G. Bremset, M. Puffer, and K. Hanssen. 2013. Selective segregation in intraspecific competition between juvenile Atlantic salmon (*Salmo salar*) and brown trout (*Salmo trutta*). *Ecology of Freshwater Fish*. DOI: 10.1111/eff.12107
- Burton, T., M. O. Hoogenboom, N. D. Beevers, J. D. Armstrong, and N. B. Metcalfe. 2013a. Among-sibling differences in the phenotypes of juvenile fish depend on their location within the egg mass and maternal dominance rank. *Proceedings of the Royal Society Biological Sciences Series B* 280(1751):1-7.
- Burton, T., S. McKelvey, D. Stewart, J. Armstrong, and N. Metcalfe. 2013b. Early maternal experience shapes offspring performance in the wild. *Ecology* 94(3):618-626.
- Burton, T., S. McKelvey, D. C. Stewart, J. D. Armstrong, and N. B. Metcalfe. 2013c. Offspring investment in wild Atlantic salmon (*Salmo salar*): relationships with smolt age and spawning condition. *Ecology of Freshwater Fish* 22(2):317-321.
- Castro, V., B. Grisdale-Helland, S. J. Helland, J. Torgersen, T. Kristensen, G. Claireaux, A. P. Farrell, and H. Takle. 2013. Cardiac molecular-acclimation mechanisms in response to swimming-induced exercise in Atlantic salmon. *PloS one* 8(1). DOI: 10.1371/journal.pone.0055056
- Cunjak, R. A., T. Linnansaari, and D. Caissie. 2013. The complex interaction of ecology and hydrology in a small catchment: a salmon's perspective. *Hydrological Processes* 27(5):741-749.
- Dauphin, G. J. R., C. Brugel, M. Hoffmann-Légrand, and E. Prévost. 2013. Estimating spatial distribution of Atlantic salmon escapement using redd counts despite changes over time in counting procedure: application to the Allier River population. *Ecology of Freshwater Fish* 22(4):626-636.
- Davidson, J. G., A. H. Rikardsen, E. B. Thorstad, E. Halttunen, H. Mitamura, K. Præbel, J. Skarðhamar, and T. F. Næsje. 2013a. Homing behaviour of Atlantic salmon (*Salmo salar*) during final phase of marine migration and river entry. *Canadian Journal of Fisheries and Aquatic Sciences* 70(5):794-802.
- Davidson, J. G., E. B. Thorstad, H. Baktoft, S. Aune, F. Okland, and A. H. Rikardsen. 2013b. Can sea trout *Salmo trutta* compromise successful eradication of *Gyrodactylus salaris* by hiding from CFT Legumin (rotenone) treatments? *J Fish Biol* 82(4):1411-1418.
- Dugdale, S. J., N. E. Bergeron, and A. St-Hilaire. 2013. Temporal variability of thermal refuges and water temperature patterns in an Atlantic salmon river. *Remote Sensing of Environment* 136:358-373.
- Ellis, T. R., T. Linnansaari, and R. A. Cunjak. 2013. Passive Integrated Transponder (PIT) Tracking versus Snorkeling: Quantification of Fright Bias and Comparison of Techniques in Habitat Use Studies. *Transactions of the American Fisheries Society* 142(3):660-670.

- Finstad, A. G., L. M. Sættem, and S. Einum. 2013. Historical abundance and spatial distributions of spawners determine juvenile habitat accessibility in salmon: implications for population dynamics and management targets. *Canadian Journal of Fisheries and Aquatic Sciences* 70(9):1339-1345.
- Frank, B. M., and P. V. Baret. 2013. Simulating brown trout demogenetics in a river/nursery brook system: The individual-based model DemGenTrout. *Ecological Modelling* 248:184-202.
- Glover, K. A., C. Pertoldi, F. Besnier, V. Wennevik, M. Kent, and Ø. Skaala. 2013. Atlantic salmon populations invaded by farmed escapees: quantifying genetic introgression with a Bayesian approach and SNPs. *BMC Genetics* 14(1):74.
- Graham, C. T., S. S. Harrison, and C. Harrod. 2013. Development of non-lethal sampling of carbon and nitrogen stable isotope ratios in salmonids: effects of lipid and inorganic components of fins. *Isotopes Environ Health Stud* 49(4):555-566.
- Gustafsson, S., M. Österling, J. Skurdal, L. D. Schneider, and O. Calles. 2013. Macroinvertebrate colonization of a nature-like fishway: The effects of adding habitat heterogeneity. *Ecological Engineering* 61, Part A(0):345-353.
- Griffiths, A.M., Finnegan, A.K., King, R.A., Machado-Schiaffino, G., Porcher, J.-P., Garcia-Vasquez, E., Bright, D., Stevens, J.R. 2013. Use of multiple markers demonstrates a cryptic western refugium and postglacial colonisation routes of Atlantic salmon (*Salmo salar* L.) in northwest Europe. *Heredity*, 111, 34-43.
- Halttunen, E., J. L. A. Jensen, T. F. Næsje, J. G. Davidsen, E. B. Thorstad, C. M. Chittenden, S. Hamel, R. Primicerio, and A. H. Rikardsen. 2013. State-dependent migratory timing of postspawned Atlantic salmon (*Salmo salar*). *Canadian Journal of Fisheries and Aquatic Sciences* 70(7):1063-1071.
- Hedger, R. D., T. F. Næsje, P. Fiske, O. Ugedal, A. G. Finstad, and E. B. Thorstad. 2013a. Ice-dependent winter survival of juvenile Atlantic salmon. *Ecology and Evolution* 3(3):523-535.
- Hedger, R. D., L. E. Sundt-Hansen, T. Forseth, O. H. Diserud, O. Ugedal, and A. G. Finstad. 2013b. Modelling the complete life-cycle of Atlantic salmon (*Salmo salar* L.) using a spatially explicit individual-based approach. *Ecological Modelling* 248(0):119-129.
- Hedger, R. D., L. E. Sundt-Hansen, T. Forseth, O. Ugedal, O. H. Diserud, Å. S. Kvambekk, and A. G. Finstad. 2013c. Predicting climate change effects on subarctic–Arctic populations of Atlantic salmon (*Salmo salar*). *Canadian Journal of Fisheries and Aquatic Sciences* 70(2):159-168.
- Hyvärinen, P., P. Rodewald, and M. Bradford. 2013. Enriched rearing improves survival of hatchery-reared Atlantic salmon smolts during migration in the River Tornionjoki. *Canadian Journal of Fisheries and Aquatic Sciences* 70(9):1386-1395.
- Jackson, D., D. Cotter, J. Newell, S. McEvoy, P. O'Donohoe, F. Kane, T. McDermott, S. Kelly, and A. Drumm. 2013. Impact of *Lepeophtheirus salmonis* infestations on migrating Atlantic salmon, *Salmo salar* L., smolts at eight locations in Ireland with an analysis of lice-induced marine mortality. *J Fish Dis* 36(3):273-281.
- Johnston, S., M. Lindqvist, E. Niemelä, P. Orell, J. Erkinaro, M. Kent, S. Lien, J.-P. Vähä, A. Vasemägi, and C. Primmer. 2013. Fish scales and SNP chips: SNP genotyping and allele frequency estimation in individual and pooled DNA from historical samples of Atlantic salmon (*Salmo salar*). *BMC Genomics* 14(1):1-13.

- Jonsson, B., N. Jonsson, and A. G. Finstad. 2013. Effects of temperature and food quality on age and size at maturity in ectotherms: an experimental test with Atlantic salmon. *Journal of Animal Ecology* 82(1):201-210.
- Kasperson, R., F. Sundström, T. Bohlin, and J. I. Johnsson. 2013. Modes of Competition: Adding and Removing Brown Trout in the Wild to Understand the Mechanisms of Density-Dependence. *PloS one* 8(5). DOI: 10.1371/journal.pone.0062517
- Kesler, M., M. Vetemaa, L. Saks, and T. Saat. 2013. Survival of reared Atlantic salmon (*Salmo salar*) smolts during downstream migration and its timing: a case study in the Pirita River. *Boreal environment research* 18(1):53-60.
- Koljonen, S., A. Huusko, A. Mäki-Petäys, P. Louhi, and T. Muotka. 2013. Assessing Habitat Suitability for Juvenile Atlantic Salmon in Relation to In-Stream Restoration and Discharge Variability. *Restoration Ecology* 21(3):344-352.
- Kusterle, S., E. Halttunen, E. B. Thorstad, T. F. Næsje, J. L. A. Jensen, A. Gallo-Bueno, E. Olague, and A. H. Rikardsen. 2013. The gill maggot *Salmincola salmoneus* as an indicator of repeat spawning in Atlantic salmon *Salmo salar*. *Journal of Fish Biology* 82(3):1068-1073.
- Lindberg, D.-E., K. Leonardsson, A. G. Andersson, T. S. Lundström, and H. Lundqvist. 2013. Methods for locating the proper position of a planned fishway entrance near a hydropower tailrace. *Limnologia-Ecology and Management of Inland Waters* 43(5):339-347.
- Linnansaari, T., and R. A. Cunjak. 2013. Effects of ice on behaviour of juvenile Atlantic salmon (*Salmo salar*). *Canadian Journal of Fisheries and Aquatic Sciences* 70(10):1488-1497.
- Marco-Rius, F., P. Caballero, P. Morán, and C. G. de Leaniz. 2013a. Mixed-effects modelling of scale growth profiles predicts the occurrence of early and late fish migrants. *PloS one* 8(4). DOI: 10.1371/journal.pone.0061744
- Marco-Rius, F., G. Sotelo, P. Caballero, P. Morán, and B. Jonsson. 2013b. Insights for planning an effective stocking program in anadromous brown trout (*Salmo trutta*). *Canadian Journal of Fisheries and Aquatic Sciences* 70(7):1092-1100.
- Marco-Rius, F., P. Caballero, P. Morán, and C. Garcia de Leaniz. 2013. Can migrants escape from density dependence? *Ecology and Evolution* 3(8):2524-2534.
- Matejusova, I., N. Bain, D. Colquhoun, E. Feil, U. McCarthy, D. McLennan, M. Snow, D. Verner-Jeffreys, I. Wallace, S. Weir, and M. Hall. 2013. Multilocus variable-number tandem-repeat genotyping of *Renibacterium salmoninarum*, a bacterium causing bacterial kidney disease in salmonid fish. *BMC Microbiology* 13(1):1-8.
- Morán, P., F. Marco-Rius, M. Megías, L. Covelo-Soto, and A. Pérez-Figueroa. 2013. Environmental induced methylation changes associated with seawater adaptation in brown trout. *Aquaculture* 392:77-83.
- Näslund, J., M. Rosengren, D. Del Villar, L. Gansel, J. R. Norrgård, L. Persson, J. J. Winkowski, and E. Kvingedal. 2013a. Hatchery tank enrichment affects cortisol levels and shelter-seeking in Atlantic salmon (*Salmo salar*). *Canadian Journal of Fisheries and Aquatic Sciences* 70(4):585-590.
- Näslund, J., M. Rosengren, D. Del Villar, L. Gansel, J. R. Norrgård, L. Persson, J. J. Winkowski, E. Kvingedal, and J. Grant. 2013b. Hatchery tank enrichment affects cortisol levels and shelter-seeking in Atlantic salmon (*Salmo salar*). *Canadian Journal of Fisheries and Aquatic Sciences* 70(4):585-590.

- Nika, N. 2013. Change in allometric length–weight relationship of *Salmo trutta* at emergence from the redd. *Journal of Applied Ichthyology* 29(1):294-296.
- Norrgård, J. R., L. A. Greenberg, J. J. Piccolo, M. Schmitz, and E. Bergman. 2013. Multiplicative loss of landlocked Atlantic salmon *Salmo salar* L. smolts during downstream migration through multiple dams. *River Research and Applications* 29(10):1306-1317.
- Olaya-Marín, E. J., F. Martínez-Capel, and P. Veza. 2013. A comparison of artificial neural networks and random forests to predict native fish species richness in Mediterranean rivers. *Knowledge and Management of Aquatic Ecosystems*(409). DOI: 10.1051/kmae/2013052
- Österling, M. E., and B. M. Larsen. 2013. Impact of origin and condition of host fish (*Salmo trutta*) on parasitic larvae of *Margaritifera margaritifera*. *Aquatic Conservation: Marine and Freshwater Ecosystems* 23(4):564-570.
- Ozerov, M., A. Vasemägi, V. Wennevik, E. Niemelä, S. Prusov, M. Kent, and J.-P. Vähä. 2013. Cost-effective genome-wide estimation of allele frequencies from pooled DNA in Atlantic salmon (*Salmo salar* L.). *BMC Genomics* 14(1):1-9.
- Parasiewicz, P., K. Ryan, P. Veza, C. Comoglio, T. Ballesterio, and J. N. Rogers. 2013. Use of quantitative habitat models for establishing performance metrics in river restoration planning. *Ecohydrology* 6(4):668-678.
- Perrier, C., R. Guyomard, J. L. Bagliniere, N. Nikolic, and G. Evanno. 2013. Changes in the genetic structure of Atlantic salmon populations over four decades reveal substantial impacts of stocking and potential resiliency. *Ecology and Evolution* 3(7):2334-2349.
- Richard, A., F. Cattaneo, and J. F. Rubin. 2013a. Biotic and abiotic regulation of a low-density stream-dwelling brown trout (*Salmo trutta* L.) population: effects on juvenile survival and growth. *Ecology of Freshwater Fish*. DOI: 10.1111/eff.12116
- Richard, A., J. O'Rourke, A. Caudron, and F. Cattaneo. 2013b. Effects of passive integrated transponder tagging methods on survival, tag retention and growth of age-0 brown trout. *Fisheries Research* 145:37-42.
- Skaala, Ø., G. H. Johnsen, H. Lo, R. Borgstrøm, V. Wennevik, M. M. Hansen, J. E. Merz, K. A. Glover, and B. T. Barlaup. 2013. A conservation plan for Atlantic salmon (*Salmo salar*) and anadromous brown trout (*Salmo trutta*) in a region with intensive industrial use of aquatic habitats, the Hardangerfjord, western Norway. *Marine Biology Research* 10(3):308-322.
- Solberg, M. F., Ø. Skaala, F. Nilsen, and K. A. Glover. 2013a. Does domestication cause changes in growth reaction norms? A study of farmed, wild and hybrid Atlantic Salmon families exposed to environmental stress. *PLoS one* 8(1)
- Solberg, M. F., Z. Zhang, F. Nilsen, and K. A. Glover. 2013b. Growth reaction norms of domesticated, wild and hybrid Atlantic salmon families in response to differing social and physical environments. *BMC evolutionary biology* 13(1):234.
- Sundström, L. F., R. Kaspersson, J. Näslund, and J. I. Johnsson. 2013b. Density-Dependent Compensatory Growth in Brown Trout (*Salmo trutta*) in Nature. *PLoS one* 8(5). DOI: 10.1371/journal.pone.0063287
- Teichert, M. A., S. Einum, A. G. Finstad, O. Ugedal, and T. Forseth. 2013. Ontogenetic timing of density dependence: location-specific patterns reflect distribution of a limiting resource. *Population Ecology* 55(4):575-583.

Urke, H. A., T. Kristensen, J. V. Arnekleiv, T. O. Haugen, G. Kjærstad, S. O. Stefansson, L. O. E. Ebbesson, and T. O. Nilsen. 2013. Seawater tolerance and post-smolt migration of wild Atlantic salmon *Salmo salar* × brown trout *S. trutta* hybrid smolts. *Journal of Fish Biology* 82(1):206-227.

Watz, J., E. Bergman, J. J. Piccolo, and L. Greenberg. 2013. Effects of ice cover on the diel behaviour and ventilation rate of juvenile brown trout. *Freshwater Biology* 58(11):2325–2332.

Závorka, L., P. Horký, and O. Slavík. 2013. Distribution and growth of brown trout in pristine headwaters of Central Europe. *Central European Journal of Biology* 8(3):263-271.

Zhang, Z., K. A. Glover, V. Wennevik, T. Svåsand, A. G. E. Sørvik, P. Fiske, S. Karlsson, and Ø. Skaala. 2013. Genetic analysis of Atlantic salmon captured in a netting station reveals multiple escapement events from commercial fish farms. *Fisheries Management and Ecology* 20(1):42-51.