

Alcaraz-Hernández, J., F. Martínez-Capel, and E. Olaya-Marín. 2014. Length–weight relationships of two endemic fish species in the Júcar River Basin, Iberian Peninsula. *Journal of Applied Ichthyology*. DOI: 10.1111/jai.12625

Angles d'Auriac, M. B., H. A. Urke, and T. Kristensen. 2014. A rapid qPCR method for genetic sex identification of *Salmo salar* and *Salmo trutta* including simultaneous elucidation of interspecies hybrid paternity by high-resolution melt analysis. *J Fish Biol* 84(6):1971-1977.

Ayllón, D., G. G. Nicola, I. Parra, B. Elvira, and A. Almodóvar. 2014. Spatio-temporal habitat selection shifts in brown trout populations under contrasting natural flow regimes. *Ecohydrology* 7(2):569-579.

Jonsson, B., N. Jonsson and A.G. Finstad. 2014. Linking embryonic temperature with adult reproductive investment in Atlantic salmon *Salmo salar*. *Marine Ecology Progress Series* 515:217-226.

Biro, P. A., B. Adriaenssens, and P. Sampson. 2014. Individual and sex-specific differences in intrinsic growth rate covary with consistent individual differences in behaviour. *Journal of Animal Ecology* 83(5):1186-1195.

Boel, M., K. Aarestrup, H. Baktoft, T. Larsen, S. S. Madsen, H. Malte, C. Skov, C. S. Jon, and A. Koed. 2014. The Physiological Basis of the Migration Continuum in Brown Trout (*Salmo trutta*). *Physiological and Biochemical Zoology* 87(2):334-345.

Burton, T., and N. B. Metcalfe. 2014. Can environmental conditions experienced in early life influence future generations? *Proceedings of the Royal Society B: Biological Sciences* 281(1785)

Calles, O., B. Griffioen, E. Winter, J. Watz, D. Nyqvist, A. Hagelin, S. Gustafsson, M. Österling, J. Piccolo, and L. Greenberg. 2014. Fish Migration River Monitoring Plan. *Project report*.

Casas-Mulet, R., K. Alfredsen, and A. García-Escudero Uribe. 2014. A cost-effective approach to predict dynamic variation of mesohabitats at the river scale in Norwegian systems. *International Journal of River Basin Management* 12(2):145-159.

Casas-Mulet, R., K. Alfredsen, T. Boissy, H. Sundt, and N. Rüter. 2014a. Performance of a one-dimensional hydraulic model for the calculation of stranding areas in hydropeaking rivers. *River Research and Applications*. DOI: 10.1002/rra.2734

Casas-Mulet, R., K. Alfredsen, B. Hamududu, and N. P. Timalina. 2014b. The effects of hydropeaking on hyporheic interactions based on field experiments. *Hydrological Processes*. DOI: 10.1002/hyp.10264

Casas-Mulet, R., K. Alfredsen, and Å. Killingtveit. 2014c. Modelling of environmental flow options for optimal Atlantic salmon, *Salmo salar*, embryo survival during hydropeaking. *Fisheries Management and Ecology* 21(6):480-490.

Casas-Mulet, R., S. Saltveit, and K. Alfredsen. 2014d. The survival of Atlantic salmon (*Salmo salar*) eggs during dewatering in a river subjected to hydropeaking. *River Research and Applications*. DOI: 10.1002/rra.2827

- Conallin, J., E. Boegh, M. Olsen, S. Pedersen, M. J. Dunbar, and J. K. Jensen. 2014. Daytime habitat selection for juvenile parr brown trout (*Salmo trutta*) in small lowland streams. *Knowl. Managt. Aquatic Ecosyst.*(413):09.
- Davidson, J. G., M. Daverdin, J. V. Arnekleiv, L. Ronning, A. D. Sjurson, and J. I. Koksvik. 2014a. Riverine and near coastal migration performance of hatchery brown trout *Salmo trutta*. *J Fish Biol* 85(3):586-596.
- Davidson, J. G., M. Daverdin, A. D. Sjurson, L. Ronning, J. V. Arnekleiv, and J. I. Koksvik. 2014b. Does reduced feeding prior to release improve the marine migration of hatchery brown trout *Salmo trutta* smolts? *J Fish Biol* 85(6):1992-2002.
- Esbaugh, A. J., T. Kristensen, H. Takle, and M. Grosell. 2014. The effects of sustained aerobic swimming on osmoregulatory pathways in Atlantic salmon *Salmo salar* smolts. *J Fish Biol* 85(5):1355-1368.
- Fernandes, W. P. A., G. H. Copp, and W. D. Riley. 2014. Autumn microhabitat breadth differs between family groups of Atlantic salmon parr (*Salmo salar*) in a small chalk stream. *Ecology of Freshwater Fish*. DOI: 10.1111/eff.12189
- Gillis, C.-A., and I. Lavoie. 2014. A preliminary assessment of the effects of *Didymosphenia geminata* nuisance growths on the structure and diversity of diatom assemblages of the Restigouche River basin, Quebec, Canada. *Diatom Research* 29(3):281-292.
- Graham, C. T., T. J. Drinan, S. S. C. Harrison, and J. O'Halloran. 2014a. Relationship between plantation forest and brown trout growth, energetics and population structure in peatland lakes in western Ireland. *Forest Ecology and Management* 321(0):71-80.
- Graham, C. T., S. S. C. Harrison, and C. Harrod. 2014b. Differences in the contributions of dietary water to the hydrogen stable isotope ratios of cultured Atlantic salmon and Arctic charr tissues. *Hydrobiologia* 721(1):45-55.
- Gustafsson, P., L. Greenberg, and E. Bergman. 2014a. Woody debris and terrestrial invertebrates – effects on prey resources for brown trout (*Salmo trutta*) in a boreal stream. *Environmental Biology of Fishes* 97(5):529-542.
- Gustafsson, P., L. A. Greenberg, and E. Bergman. 2014b. Effects of woody debris and the supply of terrestrial invertebrates on the diet and growth of brown trout (*Salmo trutta*) in a boreal stream. *Freshwater Biology* 59(12):2488-2501.
- Hagen, A. G., S. Hytterod, and K. Olstad. 2014. Low concentrations of sodium hypochlorite affect population dynamics in *Gyrodactylus salaris* (Malmberg, 1957): practical guidelines for the treatment of the Atlantic salmon, *Salmo salar* L. parasite. *J Fish Dis* 37(12):1003-1011.
- Hart, P. B., E. Bergman, O. Calles, S. Eriksson, S. Gustafsson, L. Lans, J. Norrgård, J. Piccolo, N. Rees, J. Watz, M. Österling, and L. Greenberg. 2014a. Familiarity with a partner facilitates the movement of drift foraging juvenile grayling (*Thymallus thymallus*) into a new habitat area. *Environmental Biology of Fishes* 97(5):515-522.
- Hart, P. J., E. Bergman, O. Calles, S. Eriksson, S. Gustafsson, L. Lans, J. Norrgård, J. J. Piccolo, N. Rees, and J. Watz. 2014b. Familiarity with a partner facilitates the movement of drift foraging juvenile

grayling (*Thymallus thymallus*) into a new habitat area. *Environmental Biology of Fishes* 97(5):515-522.

Hendrichsen, D., R. Kristoffersen, K. Ø. Gjelland, R. Knudsen, S. Kusterle, A. Rikardsen, E. Henriksen, A. Smalås, and K. Olstad. 2014. Transmission dynamics of the monogenean *Gyrodactylus salaris* under seminatural conditions. *Journal of fish diseases*. DOI: 10.1111/jfd.12263

Horreo J.L., Machado-Schiaffino G., Griffiths A.M., Bright D., Stevens J., Garcia-Vazquez E. 2014. Long-term effects of stock transfers: synergistic introgression of allochthonous genomes in salmonids. *Journal of Fish Biology*, 85, 292-306.

Jensen, J. L., A. H. Rikardsen, E. B. Thorstad, A. H. Suhr, J. G. Davidsen, and R. Primicerio. 2014. Water temperatures influence the marine area use of *Salvelinus alpinus* and *Salmo trutta*. *J Fish Biol* 84(6):1640-1653.

Johnsson, J., S. Brockmark, and J. Näslund. 2014. Environmental effects on behavioural development consequences for fitness of captive-reared fishes in the wild. *Journal of Fish Biology* 85(6):1946-1971.

Johnston, S. E., P. Orell, V. L. Pritchard, M. P. Kent, S. Lien, E. Niemelä, J. Erkinaro, and C. R. Primmer. 2014. Genome-wide SNP analysis reveals a genetic basis for sea-age variation in a wild population of Atlantic salmon (*Salmo salar*). *Molecular Ecology* 23(14):3452-3468.

Karppinen, P., P. Jounela, R. Huusko, and J. Erkinaro. 2014. Effects of release timing on migration behaviour and survival of hatchery-reared Atlantic salmon smolts in a regulated river. *Ecology of Freshwater Fish* 23(3):438-452.

Kurylyk, B. L., K. T. B. MacQuarrie, T. Linnansaari, R. A. Cunjak, and R. A. Curry. 2014. Preserving, augmenting, and creating cold-water thermal refugia in rivers: concepts derived from research on the Miramichi River, New Brunswick (Canada). *Ecohydrology*. DOI: 10.1002/eco.1566

Laguerre, C., R. Wattier, M. Galipaud, Z. Gauthey, J.-P. Rullmann, C. Dubreuil, T. Rigaud, and L. Bollache. 2014. Confrontation of cryptic diversity and mate discrimination within *Gammarus pulex* and *Gammarus fossarum* species complexes. *Freshwater Biology* 59(12):2555-2570.

Lavery, J., J. Kurek, K. Rühland, C.-A. Gillis, M. F. Pisaric, and J. Smol. 2014a. Rock snot and lake mud: exploring the history of recent blooms of *Didymosphenia geminata* using information contained in lake sediments. *Canadian Young Scientist Journal* 2014(3):32-41.

Lavery, J., J. Kurek, K. Rühland, C. Gillis, M. Pisaric, and J. Smol. 2014b. Exploring the environmental context of recent *Didymosphenia geminata* proliferation in Gaspésie, Quebec, using paleolimnology. *Canadian Journal of Fisheries and Aquatic Sciences* 71(4):616-626.

Louhi, P., A. Mäki-Petäys, A. Huusko, and T. Muotka. 2014a. Resource use by juvenile brown trout and Alpine bullhead: influence of interspecific versus intraspecific competition. *Ecology of Freshwater Fish* 23(2):234-243.

Louhi, P., G. Robertsen, I. A. Fleming, and S. Einum. 2014b. Can timing of spawning explain the increase in egg size with female size in salmonid fish? *Ecology of Freshwater Fish*. DOI: 10.1002/eco.1566

- Monzón-Argüello, C., S. Consuegra, G. Gajardo, F. Marco-Rius, D. M. Fowler, J. DeFaveri, and C. Garcia de Leaniz. 2014. Contrasting patterns of genetic and phenotypic differentiation in two invasive salmonids in the southern hemisphere. *Evolutionary Applications* 7(8):921-936.
- Näslund, J. 2014. A simple non-invasive method for measuring gross brain size in small live fish with semi-transparent heads. *PeerJ* 2:e586.
- Näslund, J., and J. I. Johnsson. 2014. Environmental enrichment for fish in captive environments: effects of physical structures and substrates. *Fish and Fisheries*. DOI: 10.1111/faf.12088
- Nikolic, N., and C. Chevalet. 2014. Detecting past changes of effective population size. *Evolutionary Applications* 7(6):663-681.
- Österling, E. M., J. Ferm, and J. Piccolo. 2014. Parasitic freshwater pearl mussel larvae (*Margaritifera margaritifera* L.) reduce the drift-feeding rate of juvenile brown trout (*Salmo trutta* L.). *Environmental Biology of Fishes* 97(5):543-549.
- Persson, L., and A. Alanärä. 2014. The effect of shelter on welfare of juvenile Atlantic salmon *Salmo salar* reared under a feed restriction regimen. *Journal of Fish Biology* 85(3):645-656.
- Fjelldal, P.G., Wennevik, V., Fleming, I.A., Hansen, T., Glover, K.A., 2014. Triploid (sterile) farmed Atlantic salmon males attempt to spawn with wild females. *Aquaculture Environment Interactions* 5(2):155-162.
- Piccolo, J. J., B. M. Frank, and J. W. Hayes. 2014. Food and space revisited: The role of drift-feeding theory in predicting the distribution, growth, and abundance of stream salmonids. *Environmental Biology of Fishes* 97(5):475-488.
- Puffer, M., O. Berg, A. Huusko, T. Vehanen, T. Forseth, and S. Einum. 2014. Seasonal effects of hydropeaking on growth, energetics and movement of juvenile Atlantic salmon (*Salmo salar*). *River Research and Applications*. DOI: 10.1002/rra.2801
- Richard, A., J. O'Rourke, and J. F. Rubin. 2014. External fluorescence retention of calcein-marked juvenile brown trout *Salmo trutta* raised in natural and artificial environments. *Journal of Fish Biology* 84(1):73-84.
- Robertsen, G., J. D. Armstrong, K. H. Nislow, I. Herfindal, S. McKelvey, and S. Einum. 2014. Spatial variation in the relationship between performance and metabolic rate in wild juvenile Atlantic salmon. *Journal of Animal Ecology*. doi: 10.1111/1365-2656
- Solberg, M. F., P. G. Fjelldal, F. Nilsen, and K. A. Glover. 2014a. Hatching Time and Alevin Growth Prior to the Onset of Exogenous Feeding in Farmed, Wild and Hybrid Norwegian Atlantic Salmon. *PLoS one* 9(12). DOI: 10.1371/journal.pone.0113697
- Solberg, M. F., Z. Zhang, and K. A. Glover. 2014b. Are farmed salmon more prone to risk than wild salmon? Susceptibility of juvenile farm, hybrid and wild Atlantic salmon *Salmo salar* L. to an artificial predator. *Applied Animal Behaviour Science*. DOI: 10.1111/j.1095-8649.2007.01470.x
- Taal, I., M. Kesler, L. Saks, M. Rohtla, A. Verliin, R. Svirgsden, K. Jürgens, M. Vetemaa, and T. Saat. 2014. Evidence for an autumn downstream migration of Atlantic salmon *Salmo salar* (Linnaeus) and

brown trout *Salmo trutta* (Linnaeus) parr to the Baltic Sea. *Helgoland Marine Research* 68(2):373-377.

Tinoco, A. B., J. Näslund, M. J. Delgado, N. de Pedro, J. I. Johnsson, and E. Jönsson. 2014. Ghrelin increases food intake, swimming activity and growth in juvenile brown trout (*Salmo trutta*). *Physiology & Behavior* 124:15-22.

Torterotot, J.-B., C. Perrier, N. E. Bergeron, and L. Bernatchez. 2014. Influence of Forest Road Culverts and Waterfalls on the Fine-Scale Distribution of Brook Trout Genetic Diversity in a Boreal Watershed. *Transactions of the American Fisheries Society* 143(6):1577-1591.

Urke, H. A., J. V. Arnekleiv, T. O. Nilsen, K. J. Nilssen, L. Rønning, J. B. Ulvund, and T. Kristensen. 2014. Long-term hypo-osmoregulatory capacity in downstream migrating Atlantic salmon *Salmo salar* L. smolts. *Journal of Fish Biology* 85(4):1131-1144.

Vatland, S. J., R. E. Gresswell, and G. C. Poole. 2014. Quantifying stream thermal regimes at multiple scales: Combining thermal infrared imagery and stationary stream temperature data in a novel modeling framework. *Water Resources Research*. DOI: 10.1002/2014WR015588

Veza, P., P. Parasiewicz, M. Spairani, and C. Comoglio. 2014. Habitat modeling in high-gradient streams: the mesoscale approach and application. *Ecological Applications* 24(4):844-861.

Watz, J., E. Bergman, J. Piccolo, and L. Greenberg. 2014a. Prey capture rates of two species of salmonids (*Salmo trutta* and *Thymallus thymallus*) in an artificial stream: effects of temperature on their functional response. *Marine and Freshwater Behaviour and Physiology* 47(2):93-99.

Watz, J., J. Piccolo, E. Bergman, and L. Greenberg. 2014b. Day and night drift-feeding by juvenile salmonids at low water temperatures. *Environmental Biology of Fishes* 97(5):505-513.

Závorka, L., O. Slavík, and P. Horký. 2014. Validation of scale-reading estimates of age and growth in a brown trout *Salmo trutta* population. *Biologia* 69(5):691-695.